

BEST AVAILABLE COPY

UTILITY
SERIAL
NUMBER

08/415094

PATENT DATE

PATENT
NUMBER

SERIAL NUMBER

08/415,094

FILING DATE

03/10/95

CLASS

156

SUBCLASS

394

GROUP ART UNIT

1500

EXAMINER

M.W.

APPLICANTS

ROBERT N. HAMLIN, STILLWATER, MN.

CONTINUING DATA***

VERIFIED

THIS APPLN IS A CON OF
WHICH IS A DIV OF
WHICH IS A CIP OF

08/105,353 08/10/93

07/727,664 07/09/91 PAT

07/411,649 09/25/89 ABN

5,270,086

FOREIGN/PCT APPLICATIONS***

VERIFIED

None

FOREIGN FILING LICENSE GRANTED 04/26/95

Foreign priority claimed 35 USC 119 conditions met	<input type="checkbox"/> yes <input checked="" type="checkbox"/> no <input type="checkbox"/> yes <input type="checkbox"/> no	AS FILED 	STATE OR COUNTRY MN	Sheets DRWGS. 3	Total CLAIMS 3	INDEP. CLAIMS 1	FILING FEE RECEIVED \$752.00	ATTORNEY'S DOCKET NO. 910458.CDP
Verified and Acknowledged RAUGEN AND NIKULAI	Examiner's Initials							
ADDRESS	820 INTERNATIONAL CENTRE 900 SECOND AVENUE SOUTH MINNEAPOLIS MN 55402-3325							

TITLE

MULTILAYER EXTRUSION AS PROCESS FOR MAKING ANGIOPLASTY BALLOONS

U.S. DEPT. OF COMM./PAT. & TM—PTO-436L (Rev.12-84)

PARTS OF APPLICATION FILED SEPARATELY		Applications Examiner	
NOTICE OF ALLOWANCE MAILED		CLAIMS ALLOWED	
		Total Claims	Print Claim
ISSUE FEE		DRAWING	
Amount Due	Date Paid	Sheets Drwg.	Figs. Drwg.
Label Area		Print Fig.	
Primary Examiner		ISSUE BATCH NUMBER	
PREPARED FOR ISSUE			
<p>WARNING: The information disclosed herein may be restricted. Unauthorized disclosure may be prohibited by the United States Code Title 35, Sections 122, 181 and 368. Possession outside the U.S. Patent & Trademark Office is restricted to authorized employees and contractors only.</p>			